

ProtectTOP от серия ADVANCE





C 2A84

Лак устойчив на надраскване

Application:	Advance Series - Clear coat especially for ONYX HD basecoat.
Key Features:	Scratch-resistant clear coat for high surface protection.
Remarks:	Select hardener and reducer according to ambient temperature and size of object to be painted.

Solid Content	61 %
Density	0.9-1.05 g/cm ³
Storage temperatur	5-45 °C

2:1+10 %

	Mixing Ratio	100 % by volume	C 2A84 Clear coat, scratch resistant
	Hardener	50 % by volume	H 2A14 Topcoat hardener, fast H 2A24 Topcoat hardener, medium H 2A34 Topcoat hardener, slow
	Reducer	10 % by volume	R 2A14 Thinner, fast R 2A24 Thinner, medium R 2A34 Thinner, slow
	Spray viscosity at 20°C	DIN 4: 19-23 s ISO 4: 45-60 s	Potlife at 20°C 2 h

Препоръки за безопасност:

2004/42/II Б (r) (420) 419: Според ЕС директива съдържанието на този продукт ГШС трябва да е макс. 420 гр. ЛОС на литър. ЛОС съдържанието на този продукт е 419 гр/л.

Възможно е продуктът да съдържа частички < 0.1 µm.

САМО ЗА ПРОФЕСИОНАЛНА УПОТРЕБА.

При работа с продукта спазвайте мерките за безопасност и носете защитно облекло.

Информацията в този технически лист се основава на опита и знанията на техническия отдел на BASF и е с цел да съответва и информира. Отговорността за нормалната употреба на продукта е изцяло на потребителя. САМО ЗА ПРОФЕСИОНАЛНА УПОТРЕБА.

